Table of Contents
Corrosion, Vol. 33, 1977

January

Editorial: Water—Everywhere—In Need of a Program
R. W. Staehle 1
Effect of Fluid Dynamics on the Corrosion of Copper-Base Alloys in Sea Water
K. D. Efird 3
Effect of Hydrodynamics on Pitting
Theodore R. Beck 9
Electrochemical Measurements of Time-of-Wetness and Atmospheric Corrosion Rates
F. Mansfeld and J. V. Kenkel 13
Oxalate Coating of Nickel Alloys
P. E. Morris 17
Relationship Between Acid Intergranular Corrosion and Caustic Stress Corrosion Cracking of Alloy 600
G. J. Theus 20
Effect of Microstructure on Stress Corrosion Cracking of Alloy 600 in High Purity Water
H. A. Domian, R. H. Emanuelson, L. W. Sarver, G. J. Theus, and L. Katz 26

February

Editorial: Art in Corrosion
R. W. Staehle 39
Professor Michal Smialowski
A. Szummer 41
Corrosion Performance of Some Metals and Alloys in Liquid Ammonia
D. A. Jones and B. E. Wilde 46
The Electrochemistry and Mechanism of Stress Corrosion Cracking of Constructional Steels in Liquid Ammonia
D. A. Jones, C. D. Kim, and B. E. Wilde 50
The Oxidation Behavior of Co-Cr-Al Alloys at 1000 C
G. N. Irving, J. Stringer, and D. P. Whittle 56
Stress Corrosion Behavior of Fe-Cr-Ni and Other Alloys in High Temperature Caustic Solutions
A. R. McIlree and H. T. Michels 60
Slow Strain Rate Stress Corrosion Cracking of Type 304 Stainless Steels
F. Stalder and D. J. Duquette 67
The Corrosion of Lead Dioxide on Titanium Anodes
A. T. Kuhn and R. B. Lartey 73

March

Editorial: All in Favor — Say "AYE"
A. C. Flory 77
Headquarters Building Fund Kicked Off by Contributions from Canadian and South Central Regions 78
Transient Species Participating in the SCC of Zirconium Alloys
B. Cox 79
Nickel Oxide Scales and Sodium Sulfate-Induced Hot Corrosion of Nickel
Richard F. Reising 84
Vacuum Deaeration of Water—An Effective Method for Preventing Corrosion
I. I. Oliker 89
Evaluation of Sulfide Corrosion Cracking Resistance in Low Alloy Steels
R. B. Heady 98
Heat Treatment, Plastic Deformation, and the Corrosion of Low Carbon Steel
Robert L. Chance 108

April

Editorial: Superstition and Rationality
R. W. Staehle 115
Practical Experiences with Linear Polarization Measurements
R. H. Hausler 117
Electrochemical and Corrosion Behavior of Iron in Presence of Substituted Benzotriazoles
Nadia Eldakar and Ken Nobe 128
The Corrosion Resistance of Inconel Alloy 600 in High Temperature Phosphate Solutions
N. Pessall, A. B. Dunlap, and D. W. Feldman 130
Corrosion Research Conference Extended Abstracts 145

May

Editorial: Basic Research—Corrosion—Congress—Conservation
R. W. Staehle 153
Effect of Molybdate Ion on the Repassivation Kinetics of Iron in Solutions Containing Chloride Ions
T. Kodama and J. R. Ambrose 155
Inhibition of Pitting of Stressed 18/8 Steel in H_2SO_4 by Quinoline-Chloride Mixtures
Z. Ahmad 161
Effect of Hydrogen on the Corrosion of Steels in High Temperature Water
Ph. Berge, C. Ribon, and P. Saint Paul 173
Stress Corrosion Crack Growth Rates of Brass and Austenitic Stainless Steel at Low Stress Intensity Factors
H. Lefakis and W. Rostoker 178
Cathodic Behavior of Zirconium in Aqueous Solutions
Fumio Hine, Masaki Yasuda, and Hitoshi Sato 181
Technical Note: The Stress Corrosion Cracking of U-Nb Alloys in Air
Alan R. Miller 186
Technical Note: The Occurrence of ZrO_2 Wedging in Cracked Zr-2.5 Wt% Nb Alloy
V. F. Urbanic 188

June

Editorial: Time Dislocation as a Cause of Corrosion
R. W. Staehle 191
On the Mechanism of Localized Corrosion of Nickel in Sulfuric Acid
Jaromir Tousek 193
Rust Prevention Control by Changing Sulfide Type
Haruo Shimada, Yoshiaki Sakakibara, and Hideya Okada 196
Stress Corrosion Crack Growth in Austenitic Stainless Steel
Markus O. Speidel 199
Effect of Composition on the Electrochemical Behavior of Austenitic Stainless Steel in Ringer's Solution
R. Bandy and J. R. Cahoon . . . 204
The Influence of Contaminants on the Failure of Protective Organic Coatings on Steel
E. L. Koehler 209
The Stress Corrosion Susceptibility of 7075 Al-Zn-Mg-Cu Alloys Tempered from T6 to an Overaged T7X
P. Doig, P. E. J. Flewitt, and J. W. Edington 217
Technical Note: PPR Curves—A New Method of Assessing Pitting Corrosion Resistance
Barry C. Syrett 221
Technical Note: Results of Galvanic Corrosion Round Robin Testing
F. Mansfeld 224
Technical Note: Simultaneous Potential-Current-Time Measurements During Polarization Studies
N. D. Greene and V. S. Agarwala 227

July

Editorial: Corrosion, Conservation, and International Collaboration
R. W. Staehle 229
The Improvement of Sulfide Stress Cracking Resistance of 12% Chromium Stainless Steels Through Heat Treatment
R. D. Kane, M. Watkins, and J. B. Greer 231
Laboratory Studies of Galvanic Corrosion: III. Effect of Velocity in NaCl and Substitute Ocean Water
F. Mansfeld and J. V. Kenkel 236
Anodic Polarization Behavior of Iron-Aluminum Alloys in Sulfuric Acid Solutions
E. E. Milam, W. B. Crow, and J. R. Myers 240
Stochastic Theory of Pitting Corrosion
T. Shibata and T. Takeyama 243
Hot Salt Stress Corrosion Cracking of Titanium Alloys: An Improved Model for the Mechanism

J. R. Myers and J. A. Hall 252
Accelerated Corrosion of Copper in Flowing Pure Water Contaminated with Oxygen and Sulfide
Barry C. Syrett 257
Technical Note: An SEM and Microanalytical Study of In Service Dezincification of Brass
Graham D. Walker 262
Technical Note: Hydrogen Pickup by Zirconium Alloys During Abrasive Cutting
J. H. Van der Kuur and
J. Munch 264

August

Editorial: Progress in US—USSR Collaboration in Corrosion
R. W. Staehle 268
Further Observations on Sensitization of Chemically Stabilized Stainless Steels
Carl H. Samans,
Kazuhisa Kinoshita, and
Iwao Matsushima 271
The New Fe-Cr-Mo Ferritic Stainless Steels
R. F. Steigerwald, A. P. Bond,
H. J. Dundas, and
E. A. Lizlovs 279
Potassium Oxalate Inhibits Corrosion of Mild Steel by Ferric Ion
D. V. Subrahmanyam and
G. R. Hoey 295
Effect of Chloride Ions on the Corrosion Characteristics of Nickel in 0.1N $HClO_4$
Allan Moon and Ken Nobe . . . 300
An Intergranular Fracturing Technique for Grain Boundary Segregation Studies of Austenitic Stainless Steel
J. Y. Park and S. Danyluk 304

September

Editorial: A National Materials Museum
R. W. Staehle 307
Factors Influencing the Embrittlement of Cold Worked High Alloy Materials in H_2S Environments
R. D. Kane, M. Watkins,
D. J. Jacobs, and
G. L. Hancock 309
Effects of Some Alloying and Environmental Variations on the Stress Corrosion Cracking Susceptibility of Austenitic Stainless Steels
L. Bednar 321
The Crevice Protection Potential for 90-10 Copper Nickel
K. D. Efird and
E. D. Verink, Jr. 328
Constant Strain Rate Testing of Type 304 Stainless Steel in High Temperature Water—Part 1: Evaluation of Stress Corrosion Cracking Sensitivity
Mamoru Hishida and
Hiroshi Nakada 332
The Effects of Metallic Second Phases in Stainless Steels
R. F. Steigerwald 338

October

Editorial: Corrosion of What Materials?
R. W. Staehle 345
The Synergistic Effect of Ni and Fe on the Sea Water Corrosion of Copper Alloys
K. D. Efird 347
Consistency of Stress Corrosion Cracking Behavior of Uranium Alloys in Three Environments
H. M. DeJarnette
and S. G. Fishman 351
Environmental Cracking of 18 Ni 200 Maraging Steel
J. B. Gilmour 357
Effect of Oxygen and Benzotriazole on the Corrosion Characteristics of Rotating Iron Disk Electrodes in Acidic Chloride Solutions
Robert J. Chin and
Ken Nobe 364
Formation of Mixed Cation Spinels on Corroding Carbon Steel Surfaces
T. E. Rummery, J. J. Hawton,
and D. Owen 369
The Effect of Velocity on Galvanic Corrosion on Al Alloys
F. Mansfeld and
J. V. Kenkel 376

November

Editorial: Two Centuries of Passivity and Beyond
R. W. Staehle . . . .Back of Masthead
Dynamic Oxidation and Corrosion in Power Generating Units
R. R. Dils and
P. S. Follansbee 385
Constant Strain Rate Testing of Type 304 Stainless Steel in High Temperature Water—Part II: An Investigation of the Chloride Effect on Stress Corrosion Cracking
Mamoru Hishida and
Hiroshi Nakada 403
The Effect of Boron on the Corrosion Resistance of Austenitic Stainless Steels
F. P. A. Robinson and
W. G. Scurr 408
Technical Note: A Silver-Silver Chloride Reference Electrode for the High Temperature and High Pressure Electrochemistry
A. K. Agrawal and
R. W. Staehle 418

December

Editorial: Corrosion Science in the Energy Program
R. W. Staehle . . . Back of Masthead
Professor N. D. Tomashov
Ya. M. Kolotyrkin 423
Caustic Stress Corrosion of Fe-Cr-Ni Austenitic Alloys
Ph. Berge, J. R. Donati,
B. Prieux, and D. Villard 425
The Chemical Nature of the Anion Dependency of the Corrosion of Aluminum Alloy 7075-T6
R. T. Foley and
P. P. Trzaskoma 435
The Petch-Stables Theory of Hydrogen Embrittlement
R. B. Heady 441
Observation on the Stress Corrosion Cracking of an Al-5%Zn-2.5%Mg Ternary and Various Quaternary Alloys Discussion
Lage Knutsson 447
Program Preview of
CORROSION/78 448
Indices of Papers
Published in 1977 465

Alphabetical Author Index Corrosion, Vol. 33, 1977

A

Agrawal, A. K. . . . . Nov, 418
Agarwala, V. S. . . . . Jun, 227
Ahmad, Z. . . . . May, 161
Ambrose, J. R. . . . . May, 155

B

Bandy, R. . . . . Jun, 204
Beck, T. R. . . . . Jan, 9
Bednar, L. . . . . Sep, 321
Berge, Ph. . . . . May, 173
Berge, Ph. . . . . Dec, 425
Bond, A. P. . . . . Aug, 279

C

Cahoon, J. R. . . . . Jun, 204
Chance, R. L. . . . . Mar, 108
Chin, R. J. . . . . Oct, 364
Cox, B. . . . . .Mar, 79
Crow, W. B. . . . . Jul, 240

D

Danyluk, S. . . . . Aug, 304
DeJarnette, H. M. . . . . Oct, 351
Dils, R. R. . . . . Nov, 385
Doig, P. . . . . Jun, 217
Domian, H. A. . . . . .Jan, 26
Donati, J. R. . . . . Dec, 425
Dundas, H. J. . . . . Aug, 279
Dunlap, A. B. . . . . Apr, 130
Duquette, D. J. . . . . .Feb, 67

E

Edington, J. W. . . . . Jun, 217
Efird, K. D. . . . . Jan, 3
Efird, K. D. . . . . Sep, 328
Efird, K. D. . . . . Oct, 347
Eldakar, N. . . . . Apr, 128
Emanuelson, R. H. . . . . .Jan, 26

F

Feldman, D. W. . . . . Apr, 130
Fishman, S. G. . . . . Oct, 351
Flewitt, P. E. J. . . . . Jun, 217
Foley, R. T. . . . . Dec, 435
Follansbee, P. S. . . . . Nov, 385

G

Gilmour, J. B. . . . . Oct, 357
Greene, N. D. . . . . Jun, 227
Greer, J. B. . . . . Jul, 231

H

Hall, J. A. . . . . Jul, 252
Hancock, G. L. . . . . Sep, 309
Hausler, R. H. . . . . Apr, 117
Hawton, J. J. . . . . Oct, 369
Heady, R. B. . . . . .Mar, 98
Heady, R. B. . . . . Dec, 441
Hine, F. . . . . May, 181
Hishida, M. . . . . Sep, 332
Hishida, M. . . . . Nov, 403
Hoey, G. R. . . . . Aug, 295

I

Irving, G. N. . . . . .Feb, 56

J

Jacobs, D. J. . . . . Sep, 309
Jones, D. A. . . . . .Feb, 46
Jones, D. A. . . . . .Feb, 50

K

Kane, R. D. . . . . Jul, 231
Kane, R. D. . . . . Sep, 309
Katz, L. . . . . .Jan, 26
Kenkel, J. V. . . . . .Jan, 13
Kenkel, J. V. . . . . Jul, 236
Kenkel, J. V. . . . . Oct, 376
Kim, C. D. . . . . .Feb, 50
Kinoshita, K. . . . . Aug, 271
Kuntsson, L. . . . . Dec, 447
Kodama, T. . . . . May, 155
Koehler, E. L. . . . . Jun, 209
Kolotyrkin, Ya. M. . . . . Dec, 423
Kuhn, A. T. . . . . .Feb, 73

L

Lartey, R. B. . . . . .Feb, 73
Lefakis, H. . . . . May, 178
Lizlovs, E. A. . . . . Aug, 279

M

Mansfeld, F. . . . . .Jan, 13
Mansfeld, F. . . . . Jun, 224
Mansfeld, F. . . . . Jul, 236
Mansfeld, F. . . . . Oct, 376
Matsushima, I. . . . . Aug, 271
McIlree, A. R. . . . . .Feb, 60
Michels, H. T. . . . . .Feb, 60
Milam, E. E. . . . . Jul, 240
Miller, A. R. . . . . May, 186
Moon, A. . . . . Aug, 300
Morris, P. E. . . . . .Jan, 17
Munch, J. . . . . Jul, 264
Myers, J. R. . . . . Jul, 240
Myers, J. R. . . . . Jul, 252

N

Nakada, H. . . . . Sep, 332
Nakada, H. . . . . Nov, 403
Nobe, K. . . . . Apr, 128
Nobe, K. . . . . Aug, 300
Nobe, K. . . . . Oct, 364

O

Okada, H. . . . . Jun, 196
Oliker, I. I. . . . . .Mar, 89
Owen, D. . . . . Oct, 369

P

Park, J. Y. . . . . Aug, 304
Paul, P. S. . . . . May, 173
Pessall, N. . . . . Apr, 130
Prieux, B. . . . . Dec, 425

R

Reising, R. F. . . . . .Mar, 84
Ribon, C. . . . . May, 173
Robinson, F. P. A. . . . . Nov, 408
Rostoker, W. . . . . May, 178
Rummery, T. E. . . . . Oct, 369

S

Sakakibara, Y. . . . . Jun, 196
Samans, C. H. . . . . Aug, 271
Sarver, L. W. . . . . .Jan, 26
Sato, H. . . . . May, 181
Scurr, W. G. . . . . Nov, 408
Shibata, T. . . . . Jul, 243
Shimada, H. . . . . Jun, 196
Speidel, M. O. . . . . Jun, 199
Staehle, R. W. . . . . Nov, 418
Stalder, F. . . . . .Feb, 67
Steigerwald, R. F. . . . . Aug, 279
Steigerwald, R. F. . . . . Sep, 338
Stringer, J. . . . . .Feb, 56
Subrahmanyam, D. V. . . . . Aug, 295
Sryett, B. C. . . . . Jun, 221
Syrett, B. C. . . . . Jul, 257
Szummer, A. . . . . .Feb, 41

T

Takeyama, T. . . . . Jul, 243
Theus, G. J. . . . . .Jan, 20
Theus, G. J. . . . . .Jan, 26
Tousek, J. . . . . Jun, 191
Trzaskoma, P. P. . . . . Dec, 435

U

Urbanic, V. F. . . . . May, 188

V

Van der Kuur, J. H. . . . . Jul, 264
Verink, Jr., E. D. . . . . Sep, 328
Villard, D. . . . . Dec, 425

W

Walker, G. D. . . . . Jul, 262
Watkins, M. . . . . Jul, 231
Watkins, M. . . . . Sep, 309
Whittle, D. P. . . . . .Feb, 56
Wilde, B. E. . . . . .Feb, 46
Wilde, B. E. . . . . .Feb, 50

Y

Yasuda, M. . . . . May, 181

Alphabetical Subject Index
Corrosion, Vol. 33, 1977

A–B

ACIDS
acetic: 18Cr2Mo vs boiling, 281
acetic: chlorination affecting inhibitive properties vs Zr, 81
boiling inorganic and organic vs 316, 20Cb3, Hast. C, Ti, 26Cr4Mo and 26Cr4MoNi, 284
citric: 18Cr2Mo vs boiling, 281
formic: 18Cr2Mo vs boiling, 281
hydrochloric: iron rotating anodes vs, infl of oxygen and benzotriazole, 364
inorganic and organic, hot vs Cr ferritic steels, 281
lactic: 18Cr2Mo vs boiling, 281
nitric: 18Cr2Mo vs boiling, 281
oxalic: 18Cr2Mo vs boiling, 281
perchloric: Ni vs, effect of chlorides, 301
phosphoric: 18Cr2Mo vs boiling, 281
sulfuric: 18-8 vs, quinoline-chloride sol. inhibition, 161
" :1, 5, 10N vs Fe 100% and + 2.25 to 16.51% Al, anodic polar., 240
", 2%, 30C vs 18Cr2Mo, 281
" iron vs, benzotriazoles as inhibitors vs 1N, 128
" Ni 99.999, polarization vs, 193

Activation: NiCrFe alloys prior to oxalate coatings, 17
Air: deaeration of water in vacuum, 89
Air: humid + or - NaCl vs U alloys, 351
Air: hot, humid SCC of U-Nb, 187
Air: pitting by chlorides at 18-8 grain boundaries, effect of, 167
Alkalis: 300 C sol. oxidation of steels under pressure, 173
ASTM: galvanic couple test results, 224

ALUMINUM AND ALLOYS
3003, 5454 vs liquid ammonia, 46
7075 AlZnMgCu effect of temper on SCC, 217
7075-T6 vs sodium bromide, chloride and fluoride, infl of anions, 435
steel, cathodic protection by, in liquid ammonia, 50

Ammonia: liquid vs CrNi steels, Al, CuNi, NiCr alloys, Fe, Zn, C. steel, other alloys, 46
Ammonia: liquid, SCC of C. steel in, 50
Ammonia: nylon vs, 51

Artistic effects of colored anodized films, 39
Atmospheric effects: humidity's infl on organic coating failure, 216
Atmospheric effects: time of wetness monitor, 13

ATOMIC EFFECTS
1020 steel in water, double layer reactions, 125
anions influencing attack by Na bromide, chloride and fluoride on Al 7075-T6, 434
CrNi, Co and Ni-base alloys, effects of order/disorder transformation on hydrogen embrit., 318
energy effects on matrix atoms during hydrogen embrit., 441

Barrier failure, organic coatings due to particulates on base metal, 211
Biographies: Smialowski, Michal, 41
Biographies: Tomashov, Ya. M., 423
Blisters: organic coatings on steel, 211
Boron: 4 ppm on 304 effect on performance, 408

C

CALCULATIONS
constant strain rate test results, carcking index values, 406
hydrogen embrit. chemisorption, 444
instantaneous rate data compared to time test, 117
oxidation rate predictions in hot gases, 392
pit propagation rate curves predicting pitting, 222
temperature oscillations in surface oxides, 386

CHLORIDES
301, 305, SCC tests in Na, Li, Mg and Zn, 321
304 vs, effect on SCC constant strain rate tests, 403
18 to 29Cr-1 to 4 Mo steels vs, 279
90Cu10Ni effects in crevices, 328
borate vs Fe, molybdate inhibition, 155
calcium 100 C vs austenitic and ferritic steels, 282
iron rotating anodes vs + HCl, effects of benzotriazole and oxygen, 364
nickel vs perchloric acid, effect of, 301
sodium 4% vs 20Cr25Ni4.5Mo1.5Cu, 207
water sol. vs organic coatings, 216

Coatings, conversion: oxalate on NiCrFe alloys, activation effects, 17

COATINGS, ORGANIC
contaminants on steel causing failure of, 209
electrical resistance on steel, 209
halo (cathodic) detachment from steel, 215
filiform attack under organic coatings on steel, 214

Cobalt and alloys: CoCrAl vs 1000 C oxygen, infl of Al and Cr, 56
Cobalt and alloys: hydrogen sulfide vs, 309
Cold work: Cr Mo ferritic steels vs SCC, 285
Cold work: Ni and Co-base alloys' embrit. in hydrogen sulfide, 313

COPPER AND ALLOYS
70/30 alpha brass critical stress for SCC, 178
90Cu10Ni, potentials and pH in crevices vs NaCl, 328
CDA 122, 687, 706, 715, 722 vs sea water, 21 meters/sec, 3
critical shear stress vs sea water at 20 meters/sec, 8
iron + Ni as alloys affecting attack by sea water, 347
monel 400 vs 50% Na hydrox., 284-332 C, 60
monel vs liquid ammonia, 46
water vs, synergistic effects of sulfides and oxygen in, 257

CRACKS
See localized attack also
indexes for strain rate testing, 333
morphology in 304L, 202
morphologies of chloride in NiCr steels, 95-154 C, 324
morphologies indicative of strain effects, 321
stress minima for SCC, 178
Ti mode in iodine/organic electrolytes, 79
velocity in 304L vs stress intensity, 199

Current density: limits on pitting in Al, Fe, Ti, 9

D-E-F

Deaerators, water, types, operation, efficiencies, 89
Design: aircraft gas turbine, effect on temperature fluctuations in exhaust gas, 392
Diffusion: oxygen, water, acids, alkalis through organic coatings, 210
Economics: research expenditures by NSF, 153
Economics: time dislocations of persons active in technology, impact on, 191
Electrochemical effects: hot salt SCC of Ti alloys, 256
Electrochemical effects: pitting, 243
Electrode for electrochemical tests at high temp. and pressure, 418

FABRICATION
deformation of C. steel, effect on crevice formation, 108
welding: 304 SCC in boiling Mg chloride, 67
welding: Cr ferritic steels, 279
Zr cutting by SiC, Cu-diamond wheels, hydrogen charging, 264

Ferric chloride: austenitic and ferritic steels, vs, 282
Filiform attack mechanism, 214

FILMS AND SCALES
Al, Cr and Co on CoCrAl vs 1000 C oxygen, 56
films, color from anodizing, artistic effects, 39
iron and Ni on Cu in sea water, 348
oxalate on steel, 297
oxides on C. steel in high purity, 290 C high pressure water, 175
oxide on NiCr steels vs 95-154 C chlorides, 327
oxides on steels in 300 C alkaline solution, mechanism, 173
passive, directions for continuing research on, 382
polarization affected by corrosion, 126
reactions favoring SCC, 321
steel C. composition vs high temp. cooling water, 369

Fractography: NiCr steels, surfaces by SEM, 335
Fractography: U alloys in humid air, + NaCl and salt water, 354

G

GALVANIC EFFECTS
Al-Cu, 4340 steel, 304, Ti and Zn in 3.5% NaCl sol. and synthetic sea water, effect of velocity, 376
Al, Cu, 4130 steel couples vs Na bicarb, chloride, sulfate sol., ASTM round robin test results, 224
metals vs liquid ammonia, 48
steels, Cu, Ti, Al, SS and Zn couples in 3.5 NaCl and synthetic sea water, effect of velocity, 236
time of wetness, used to measure, 13

Gas, exhaust: aircraft turbines, attack rate in, 388

GRAIN EFFECTS
B in 304 vs chromium carbide precip., 408
boundary concentrations affecting attack in deaerated and caustic sol., 23
creep deformation, 306
Cu at boundaries in overaged 7075 AlZnMgCu, 220
hydrogen infl. SCC of AlMgZn and other Al alloys, 447
Nb and Ti in sensitized CrNi steels, 271
pitting by chlorides at boundaries of 18-8, 166
structures affecting reactions to acids, 340

H

Halides: Al, iron, Ti vs, effect of hydrodynamics on pitting, 9
Halides: Al oxide free vs, 438
Hardness: CA-6NM (12Cr) effects vs SCC in hydrogen sulfide, 233
Hardness: U-Nb alloys, infl on SCC in hot, humid air, 187
Hastelloy C, 47
Hast. C-276, C-4, 309

HEAT TREATMENT
12Cr steels SCC in hydrogen sulfide, 231
26Cr2Mo steels, infl on cracking, 285
316, 600, 800 vs 350 C Na hydrox., SCC, 434
Alloy 600, effect on grain boundary carbides, 23
Alloy 600 vs intergranular, caustic SCC attacks, 23
Alloy 600 vs SCC in 343 C high purity water, 26

1008, 1010 steel vs crevice formation, 109
CrNiCoMo vs hydrogen sulfide embrit., 310
CrNiFe vs 50% Na hydrox., 284-332 C, 60

Hot corrosion 270 Ni vs 950 C Na sulfate, 84
Hot corrosion in gas turbines, 393
Hot cracking, ferrite in austenitic SS, 342
Hot salt SCC of Ti alloys, 252
Hydrodynamic effects on pitting in halides, 9

HYDROGEN
Cr ferritic steels vs, 284
diffusion direction infl on C. steel oxidation in alkaline sol., 177
embrittlement of 200 Ni maraging steel in salt water, 357
", Co and Ni base alloys, 315
", crack tip phenomena, 444
", Pech-Stables theory analysis, 441
", pressure vs fugacity effects, 443
hot salt SCC of Ti, infl of, 253
steel, C. absorption in 13% Na hydrox. at 290 C, 174
sulfide embrittlement, Hast. C-276, C-4, Inconel 625, MP35N, 309
", SCC of high strength, low alloy steels, 98
", 12Cr steels stressed vs, effect of heat treat., 231
Zr vs, infl of cathodic polarization in acidic, chloride and alkaline sol., 181
Zr pickup during abrasive cutting, 264

I

Incoloy, 17
Inconel, 17, 309

INHIBITORS
ammonia, liquid vs steel, C, effect of water, 53
benzotriazole vs HCl and NaCl attack on Fe rotating anodes, 364
benzotriazoles vs sulfuric acid attack on Fe, 128
eval. by instantaneous rate meter, 118
molybdates vs chloride attack on Fe, 155
potassium oxalate vs ferric ion attack on 1010 steel, 295
quinoline-chloride vs sulfuric acid attack on 18-8, 161
sodium phosphate in 275-325 C steam generators, 130

Iron and alloys: 100% and 2.25 to 16.51% Al, anodic polar. in 1, 5, 10N sulfuric acid, 240
Iron and alloys: benzotriazole and oxygen effects on Fe electrodes rotating in chlorides, 364
Iron and alloys: molybdate inhibition vs Na borate sol., 155
International corrosion research collaboration, 229

L

Lead dioxide on Ti vs 0.5 and 3M NaCl, 6-25 C, at 200 mA/sq cm, 73

LOCALIZED ATTACK
acid intergranular compared to caustic SCC of CrNiFe, 20
caustic SCC compared to acid intergranular attack on CrNiFe, 20
crevices: 18 to 29 Cr-1 to 4 Mo steels vs, 279
" 90Cu10Ni vs 0.1M NaCl, pH 10.3, potential and pH variations in, 328
", 316L in Ringer's sol., potentiostatic qualification vs, 204
" affecting passivity, 113
" tendency prediction, 223
films' effects on, infl on SCC, 321
Inconel 600 in 300 C deaerated phosphate sol., 142
intergranular attack: 18 to 29 Cr-1 to 4 Mo steels' resistance to, 279
", CrNi alloys vs 350 C Na hydrox., sensitivity to attack, 426
", cracking of 304 in 286 C water + chlorides, 403
" impact technique to produce fracture, 304
NiCr steels in Ringer's sol., 208
pitting of 304, effect of 4 ppm B on, 408
" 304 L in 3.5 NaCl, 243
", 18-8 stressed in sulfuric acid, quinoline-chloride inhibition, 161
", 18 to 29 Cr-1 to 4 Mo steels vs, 279
", hydrodynamic effects on, 9
", iron in chlorides, inhib. by molybdates, 157
", Ni 99.999% vs sulfuric acid, 194
" resistance eval. by propagation rate curves, 222
" Ti in hot salts, precursor to SCC, 253

M

Magnesium chloride: vapor vs stressed 304, 178
Mass transfer: 1020 steel in water, 124
Mass transfer, pitting, effects in halides, 10
Materials museum, utility of, 307

METALLURGICAL EFFECTS
2.25 to 16.51 Al % in Fe vs anodic polarization in 1, 5, 10N sulfuric acid, 240
alloying: As and Zr in AlMg vs hydrogen SCC, 447
", iron + Ni synergistic effects on Cu vs sea water, 347
" Ni in Cr ferritic steels, 284
" Nb and Ti in 18-8, effect on C solubility, 271
" Si, C, Cr affecting SCC of CrNi steels in boiling Mg chloride, 327
" Ti in chromium steels, 288
alpha phase in martensitic steels, 342
Al in CoCrAl vs 1000 C oxygen, 56
CA-6NM (12Cr) microstructure vs SCC in hydrogen sulfide, 233
carbon, low or Ti stabilization of Cr ferritic steels, infl of N, 280
C stabilization of retained austenite in CrNi martensitic steels, 341
Ce in C. steel vs sulfides accel. rusting in water, 198
Cr affecting 320-550 C embrit. of Cr ferritic steels, 341
Cr in CoCrAl vs 1000 C oxygen, 56
CrNi austenitic alloys, microstructure infl vs 350 C caustic SCC, 425
Cu alloys vs 21 meters/sec sea water, effect of alloying, 5
Cu, Cr, Ni and Mo in 316L effect on polarization in Ringer's sol., 206
CuZn dealloying in potable water, 262
creep deformation effects on grain boundaries, 306
embrittlement of Cr steels at 320-550 C, effect of Cr content, 341
grain structure: Co and Ni-base alloys conducive to hydrogen embrit., 315
microstructure of CrNiFe vs 343 C hi purity water, 26
microstructure of Ti, infl on hot salt SCC, 254
Mo in CrNiFe vs SCC in 50% Na hydrox., 284-332 C, 60
phase reactions in C. steel vs hi temp. cooling water, 369
second phase influences on SS, 338
sigma phase in martensitic steels, 342
stress affecting pitting tendency calculations, 223
temper effects on SCC of AlZnMgCu, 217

Methanol + iodine sol., effects of acids and/or organics on Zr SCC, 79
MP35N, 309

N

NACE solution embrit. tests on Co and Ni-base alloys, 312

NICKEL AND ALLOYS
201Ni vs 50% Na hydrox., 284-332 C, 60
99.999% Ni vs sulfuric acid, 193
270 Ni (99.98% Ni) vs up to 950 C Na sulfate, 84

NICKEL CHROMIUM ALLOYS
Alloy 600 vs 275-325 C sodium phosphate sol., 130
600, 800 SCC in 350 C Na hydrox., 425
Alloy 600, acid intergranular compared to caustic attack on, 20
800 vs 350 C Na hydroxide, 430
CrNiCoMo vs hydrogen sulfide embrit., 309
Incoloy 800 vs 275-325 C steam, infl of Na phosphate, 138
Incoloys and Inconels, oxalate coatings on, 17
Inconel 600 localized attack in 300 C deaerated phosphate sol., 142
microstructure affecting SCC of Alloy 600 in high purity water, 26
perchloric acid vs, effect of chlorides, 301
sodium hydrox. 50%, 284-332 C vs, 60

Nitrogen: Cr ferritic steels, infl on IG attack, 280
Nitrogen: steel, C. vs liquid ammonia, infl vs SCC, 50
Nuclear reactors: scale composition in deuterium oxide cooling system, 369

O

Oxidation: CoCrAl at 1000 C, 56
Oxidation: dynamic hot gas, 385
Oxides: Ni vs up to 950 C Na sulfate, 84
Oxides: transfer functions of some, 400

Oxides: Zr2Nb cracking by wedging stress from, 188

OXYGEN
286 C hi purity water content, effect on stressed CrNi steel, 334
304 SCC in 286 C water, effect of, 403
200 Ni maraging steel SCC in salt water, infl of, 357
Al galvanic couples with C. steel, 304, Ti and Zn in moving sea water, reduction limiting currents, 379
diffusion and reduction on rotating Fe anodes in HCl and HCl + NaCl solutions, 368
hydrogen sulfide embrit. Co and Ni-base alloys, effect of, 316
steel, C vs liquid ammonia, effect of, 52
+ sulfides vs Cu in water, 257

P

Passivity: 4th International Conference, Oct., 1977 summary, 382
Passivity: crevice effects vs, 112

PASSIVATION
100% iron, 2 to 16% AlFe vs 1, 5, 10N sulfuric acid, 242
CuNi affecting crevices, 331
iron in sodium borate sol., effect of molybdate ions, 155
pit films, breakdown mechanism, 243

Pech-Stables hydrogen embrit. theory analysis, 441
pH: halide solutions, effect on oxide-free Al, 434
Phosphate ratio infl on Na phosphate reactions in steam, 130

POLARIZATION
316L in Ringer's sol., phenomena influenced by procedures, 206
Al galvanic coupled to C steel, 304, Ti and Zn in moving salt water, 376
iron in hydrogen sulfide, 120
resistance probe kinetics, 124

Polymeric materials: nylon vs liquid ammonia, 51
Potassium oxalate: inhibitor of Fe ion attack on 1010 steels, 295

POTENTIALS
cathodic of 200 Ni maraging steel in salt water, effect on SCC, 359
CuNiFe in sea water, infl of Ni and Fe, 349
crevice in 90Cu10Ni vs chlorides, 328
pit, difference between those in and active dissolution, 195
pit generation related to, 248

PPR curves predicting localized attack, 222
Pressure: high, Ag-Ag chloride electrode for tests at, 418
Pressure: oxidation of steel under, at 300 C, 173
Prosthetics: 315, NiCr alloys vs Ringer's sol., 205

R

Relative humidity: metering, 13

RESEARCH
initiatives exploration, 115
nonmetals, NACE involvement with, 345
practical applications and international collaboration, 229
scientific and engineering coordination values, 153
time factor impact on usefulness of, 191
US-Russian collaboration, 268
water, need for general properties, 1

Ringer's solution vs 316 steels, 204

S

SODIUM
ash, fluxes in electricity generation turbines, 394
bromide, Al oxide-free vs, 434
chloride, Al oxide-free vs, 434
chloride: lead dioxide on Ti anodes vs 6-25 C at 200 mA/sq cm, 73
fluoride, Al oxide free vs, 434
hydroxide: 2.25Cr-1Mo vs 50%, 284-332 C, 60
", 26-1 vs 50%, 284-332 C, 60
" 201 Ni vs 50%, 284-332 C, 60
", 300 series vs 50%, 284-332 C, 60
" 316, Alloy 600, 800 SCC in 350 C, 425
" 400 monel vs 50%, 284-332 C, 60
" 446 vs 50%, 284-332 C, 60
" 13%, 290 C vs C. steel, hydrogen absorption, 174
", 25-60%, 100 C vs 18Cr2Mo, 281
", Hast. C vs 50%, 284-332 C, 60
", Incoloys 800, 804, 825 vs 50%, 284-332 C, 60
", Inconels 600, 625, 690 vs 50%, 284-332 C, 60
" SCC of Alloy 600, 23
" Ti vs 50%, 284-332 C, 60
iodide, Al vs, 434
phosphate: Alloy 600 vs 275-325 C, 130
sulfate: 950 C vs 99.98 Ni, 84
sulfate: turbine, gas, effect in, 393

Solubility of iron in hi temp. & pressure hi purity water, 175
Solvents: organics in iodine-methanol sol. vs SCC of Zr, 79
Smialowski, Michal, biography, 41
Sputtered temp. flux sensors, 395
Stainless steel, ferritic vs SCC, 279
Statistics: pit potential analysis, 247
Steam: 275-325 C, effect of Na phosphate on generators, 130

STEELS, CARBON
1008, 1010, carbide fracture crevices effects, 108
1010 vs ferric ions, potassium oxalate as inhibitor, 295
ammonia, liquid vs, 46, 50
cation spinels on surfaces in hi temp. cooling water, 369
coatings, organic failure, surface contaminants infl. on, 209
hydrogen absorption at 290 C in 13% Na hydrox., 174
sulfide properties, infl on attack in water, 196

STEELS, CHROMIUM
475 C embrittlement infl of Cr content, 341
410, 430 vs liquid ammonia, 46
2.25Cr-1Mo vs 275-325 C steam, infl of Na phosphate, 138
2.25Cr-1Mo, 26-1 vs 50% Na hydrox., 284-332 C, 60
12% cast, SCC in hydrogen sulfide, 232
12%Cr (410, CA-15) stressed vs 5% NaCl + 5% acetic acid + hydrogen sulfide, 231
18 to 29Cr-1 to 4 Mo resistance to attack, 279
Cu infl on SCC, 293
ductility effects of C and N on, 290
general attack, infl of Cr, Mo, 291
Huey test results, 289
second phase effects, 339
Strauss test results, 286
water, sea artificial, pitting in, 290

STEELS, CHROMIUM-NICKEL
300 series vs 50% Na hydrox, 284-332 C, 60
304 vs 275-325 C steam + Na phosphate, 138
304, 4 ppm B effect, 408
304, constant strain rate tests, effect of chlorides on SCC, 403
304 SCC in boiling Mg chloride, slow strain rate, 67
304, 316 vs inorganic and organic acids, 281
304, 316 vs liquid ammonia, 46
304L SCC in 130 C Mg chloride, 199
316 SCC in 350 C Na hydrox., 425
316L, 21-24Cr + 11-25Ni vs Ringer's sol., 205
12Cr6Ni martensitic, effect of retained austenite, 314
14 to 18Cr - 7.2 to 30.5 Ni + Mn, Mo, Si, SCC in 95-154 C chlorides, 321
18.7 Cr 9.91 Ni vs 286 C hi purity water, constant strain tests, 332
18-8 pitting in sulfuric acid, quinoline chloride inhibition, 161
18Cr8Ni, effect of Nb, Ti alloying on C solubility, 271
austenitic, second phase effects, 338
critical stress for 304 SCC, 178
martensitic, effects of ferrite, 342
sensitization infl of Nb and Ti alloying, 271
Steels, hi strength: 4140 sulfide cracking resistance evaluation, 98
Steels, nickel: 200 maraging vs 3.5% NaCl sol., SCC, 357

STRESS
CrNi alloys, effect on SCC, 432
minimum conducive to SCC, 178
oxide corrosion product cracking of Zr2.5Nb, 188
oxides under temperature cycles, 387
residual, SCC, effect on, 66
steel, C vs liquid ammonia, 52
threshold intensity meas. of SCC in 304L steels vs Mg chloride, 199

STRESS CORROSION CRACKING
304 fracture morphology in 286 C water, constant strain rates, 405
304 intergranular and transgranular, effect of temp., 67
304, slow strain rate in boiling Mg chloride, 67
304L vs 130 C Mg chloride sol., 199
316 and Alloys 600, 800 vs 350 C Na hydrox., 425
18 to 29Cr-1 to 4 Mo steels vs, 279
Alloy 600 in 343 C hi purity water, 26
Alloy 600, effect of stress relief on, 23
600 and 800 in 350 C Na hydrox., 425
200 Ni maraging steel in salt water, 357
AlZnMgCu, effect of temper on, 217
AlZnMg and quaternary alloys, grain boundary phenomena, 447
CrNiFe alloys vs 50% Na hydrox., 284-332 C, 60
constant strain rate tests of 304, 403
films' reactions favoring, 321
steel, C in liquid ammonia, 50
strain rate tests, eval. of tendency to, 337
sulfide eval of hi strength steels, 98
U + Mo or Ti or MoNbZrTiV vs moist air, air + NaCl, NaCl sol., 351
U-Nb in hot, humid air, 187
Zr, solution species influencing, 79

Sulfides: composition affecting water attack on steel, 196
Sulfides + oxygen vs Cu in water, 257

SURFACE AND INTERFACE
electrolyte beneath organic coatings on steel, effect on failure, 209
Ni polishing effects compared to pitting in sulfuric acid, 195
steel reactions vs 13% Na hydrox. in 290 C hi purity water, 176

T

TEMPERATURE
5 to 50 C sea water; 20 meters/sec, effect of, 5
65-167 C NACE sol. tests Cu and Ni-base alloys, 316
95-154 C Na, Li, Mg, Zn chlorides' SCC tests on 301, 305, 321
250-300 C water vs C steel, vagrant species in scale, 375
275-325 C Na phosphate vs Alloy 600, 130
284-332 C Na hydrox. 50% vs CrNiFe, monel, Cr steels and 201 Ni, 60
286 C hi purity water, constant strain tests of 18.7 Cr 9.91 Ni steels, 332
286 C water, effect of chlorides on SCC of 304, 403
290 C hi purity water + Na hydroxide vs C. steel, 174
343 C hi purity water vs NiCrFe, 26
350 C sodium hydrox. vs 316, alloys 600, 800, 425
510 C and under Na-hydrox-sulfur salts SCC of Ti, 252
950 C Na sulfate vs 270 Ni, 184
1000 C oxygen vs CuCrAl, infl of Al and Cr, 56
high, Ag-Ag chloride electrode for tests at, 418
metal abrasive fabrication, infl on hydrogen pickup, 265
oscillation measurements in dynamic exhaust gas streams, 401
range pairs in a Gaussian wae, combustion gas, 401
surface of oxides, 386
thermal properties of selected alloys, 400
time of wetness measurements, effect on galvanic systems for, 15
turbines, gas, fluctuations in, 388

TEST EQUIPMENT
C-ring, tensile specimens for SCC in hydrogen sulfide, 232
constant strain for 286 C hi purity water, 332
crevice potentials and pH, 329
high pressure, high temp. silver-silver chloride electrode of electrochemistry, 418
hot gas specimen design, 396
instantaneous rate, 118
pitting apparatus for multichannel evaluation, 243
potential-current-time simultaneous measurements, 227
scrape potentials of oxide-free Al in halides, 438
steel, hi strength SCC, properties of various test coupon configurations, 100
sulfide stress cracking, 99
temperature flux, 394
time of wetness meter, 13

TESTS, LABORATORY
304, potentiostatic in 30 C 10% sulfuric acid, effects of B, 410
10% NaOH, 288 C vs NiCrFe, 20
ASTM round robin galvanic, 222
ammonia, liquid, SCC of ASTM A-517-F steel, 50
C-ring and tensile CrNiCoMo vs hydrogen sulfide, 312
combustors, dynamic hot gas using, 347
dynamic oxidation, surface transfer functions, 399
ferric sulfate-sulfuric acid vs NiCrFe, 20
hot gas dynamic on turbine alloys, 393
impact technique to produce intergranular fractures, 304
oxalate coatings on NiCrFe alloys, 17
potential-current-time simultaneous measurements, 227
potentiostat, multichannel for pitting tests, 245
wick, 285

Tests, on-site: linear polarization meter experience, 117
Tests, on-site: resistance probe experience, 117
Tomashov, Ya. M. biography, summary of work, 423

TIME
950 C sodium sulfate attack on 270 Ni, infl of, 84
18Ni maraging cracks, determination of test, 363
cracking of Alloy 600 in 343 C hi purity water, 30
oxide formation in alkaline sol., effect on thickness, 177
performance factor for materials, 115
sulfide stress cracking test, effect of, 103
wetness, measuring corrosion rate, 16

TITANIUM AND ALLOYS
510 C and under Na hydrox-S SCC of, 252
ammonia, liquid vs, 46
sodium hydroxide, 50%, 284-332 C vs, 60

Turbines, gas: aircraft, dynamic oxidation, 388
Turbine, gas: sodium sulfate attack, 393

U–V

U and alloys + Mo, Ti or MoNbZrTiV vs moist air, air + NaCl, NaCl sol., SCC, 351
Uranium and alloys + Nb, stressed vs hot, humid air, 186
Vacuum deaeration of water, 89

VELOCITY
water salt effects vs galvanic couples, Al, Cu, steel, SS and Zn, 236
water salt vs galvanic couples of Al to C. steel, 304, Ti and Zn, 376
water sea 21 meters/sec vs Cu alloys, 3
water sea vs CuNiFe, effect of, 348

W–Z

Water fresh: 1020 steel, instantaneous rate compared to weight loss in, 123
Water fresh: Cu-Zn/66:34 dealloying in, 262

WATER, GENERAL
air saturated, effect of sulfide composition on C. steel attack by, 196
ammonia, liquid effect on SCC of C. steel in, 53
deaeration in vacuum, 89
Cu vs sulfide and oxygen, synergistic effects in, 257
diffusion through organic coating, 209
research needs relating to, 1

Water; high purity: 286 C constant strain tests of 18.7 Cr 9.91 Ni steel, 332
Water, high purity: Alloy 600 immersion in 275-300 C, effect of Na phosphate, 137
Water, high purity: Alloy 600 SCC in 343 C, 26
Water, high purity: steel, C. in 290 C, hi pressure, solubilities and hydrogen absorption, 175

WATERS, SALT
200 Ni maraging steel SCC in, 357
3.5 NaCl vs galvanic couples of Al, Cu, steel, Ti, SS and Zn, velocity effects, 236
3.5%, synthetic sea vs galvanic couples of Al and C steel, 304, Ti and Zn, effect of velocity, 376
U alloys' SCC in, 351

WATER, SEA
artificial, chromium ferritic steels' pitting in, 290
artificial, velocity effects on galvanic

couples of Al, Cu, steel, SS and Zn, 236
Cu alloys vs 21 meters/sec, 3
Cu alloys vs, effects of Ni + Fe, 347

Wedging: corrosion products cracking by stress, 188
Zn and alloys: ammonia, liquid vs, 46

ZIRCONIUM AND ALLOYS
hydride formation by cathodic polarization, 181
oxide reduction by cathodic polar., 181
solution species affecting SCC in iodine/organics, 79
Zr2Nb cracking by oxide wedging, 188

NEW FROM NACE

Pulp and Paper Industy Corrosion Problems Volume 2

Articles in this new NACE publication are from the 1977 International Symposium on Pulp and Paper Industry Corrosion Problems sponsored by the Technical Association of the Pulp and Paper Industry, the Canadian Pulp and Paper Association and the NACE. Experts from these various corrosion related fields joined forces to gather and relate the latest information in this specialized field. Topics covered are • Closing of Bleaching Systems • The Performance of a High Molybdenum Stainless Steel in Pulp Bleaching Plants • Pitting and Crevice Corrosion of Stainless Steels in Bleach Plant Filtrates • Stainless Steel and Titanium Corrosion in Pulp Bleaching Plants • Control of Residual Stresses and Surface Integrity for Reliable Suction Roll Shells • The Effect of Residual Stress on Corrosion Fatique of Suction Press Rolls • Critical Components of the Paper Machine: Damage Caused by Metallic Corrosion. Also includes the text of the earlier publication, *Pulp and Paper Industry Corrosion Problems, Volume 1.*

$25.00 Nonmembers

$20.00 to CPPA, NACE, and TAPPI Members

IMPORTANT NOTICE: A $3.00 handling charge must be added to any order from outside the United States. All orders from overseas and Mexico should be prepaid. Proforma invoices will be sent for any orders that are not prepaid. Remittances from foreign countries must be by international money order or bank draft in USA funds. Orders from Texas must include 5% sales tax. Postage for shipping at any rate other than the most economical rate will be charged to the customer.

PROCESS INDUSTRIES CORROSION



Here is a most valuable NACE publication which contains 38 technical papers on corrosion problems and their resolution in process industries. Subject areas discussed are • Types of Process Corrosion • Designing for Corrosion Resistance • Economics of Corrosion Control • Selection of Materials • Plastics • Protective Coatings • Cooling Water Treatment Electrochemical Techniques • Testing, Evaluation, Monitoring of Corrosion.

$34.25 Nonmembers

$25.00 NACE Members

IMPORTANT NOTICE: A $3.00 handling charge must be added to any order from outside the United States. All orders from Overseas and Mexico should be prepaid. Proforma invoices will be sent for any orders that are not prepaid. Remittances from foreign countries must be by international money order or bank draft in USA funds. Orders from Texas must include 5% sales tax. Postage for shipping at any rate other than the most economical rate will be charged to the customer.